



2022 XMR Oval Racing Rules

Note – green highlights are changes for 2022

Please read all rules to keep up to date

Any questions please call – 303.888.9378

1. General rules for all classes:

- 1.1. There will be a minimum of 3 entries to make a class. If the class that you register for does not have enough entries, you may enter the next larger CC class. **THIS WILL BE ENFORCED**
- 1.2. **Working taillights / break light are highly recommended.** (All glass or plastic lights need to be taped or removed to prevent shattering)
- 1.3. Qualified working Safety Tether Switch **MUST** be installed. (No homemade Safety Tether Switch's)
- 1.4. Snowmobile Clutch Guards - all sleds must have the clutch guard that covers the primary and secondary clutches. The Stock Clutch Guard is preferred. If homemade clutch guard is installed, it must cover both clutches and belt. More is better. If XMR officials feel a clutch guard is under sized, you must add more to be legal
- 1.5. Mod sleds must have an enclosed clutch guard with Kevlar belting covering the top of the clutch guard. **Adding belting to stock and super stock classes is recommended.**
- 1.6. Snowmobiles must have visible numbers on both sides of the hood preferably 8" in height and fluorescent colored
- 1.7. Studding on the center band of the track is allowed in all classes. **Barn find class will only be allowed to run trail studs. No ice picks.**
- 1.8. Additional studding on the outer bands of the track will be allowed if there is a tunnel enclosure installed. (for super stock classes and mod classes). **Studs may not extend past 3/8 inch above track lug**
- 1.9. No exposed tracks, snow flap must be in place for all snowmobile racing classes
- 1.10. Any snowmobile with a track lug greater than 1" must tie down snow flap and snow flap must touch the ground when racer is on the snowmobile. **Track must be at least 1" or taller to use Kold Kutter ice screws.**
- 1.11. Appeals: Any appeals to the point's log postings must be done within 10 days after being posted. **NO EXCEPTIONS**
- 1.12. DNS (Did Not Start) & DNF (Did Not Finish) is defined as:
 - 1.12.1. Racers not coming to the starting line will receive a DNS. If a DNS occurs in any qualifying heat or main event, a racer will receive no points
 - 1.12.2. Racers will receive a DNF if they start the race but do not take the checkered flag. The racer that receives a DNF will receive last place points for that race regardless of whether the race is a qualifying heat or the main event
 - 1.12.3. Not checking in with score keeping after each race may result in a DNS and/or DNF. **NO EXCEPTIONS**
 - 1.12.4. If a mechanical failure occurs, racers can switch machines for the upcoming qualifying heat or main event
- 1.13. Stock class sleds may enter Super Stock and Super Mod if the motor size doesn't exceed the class limit
- 1.14. Super stock sleds may enter Super Mod if the motor size does not exceed the class limit



SNOWMOBILE RACING

1.15. Stock, super stock snowmobiles may update carburetors to round slide of same size as stock for year, make & model of snowmobile

1.16. Stock, super stock snowmobiles may update drive clutch

1.17. Stock air intake / airbox systems are not required on stock and super stock snowmobiles

2. Driver Safety Equipment:

2.1. Use of a full coverage D.O.T. or Snell Qualified Helmet is mandatory. The helmet needs to be primarily bright orange for visibility purposes. You can use orange duct tape if needed

2.2. The use of upper body protection equipment is mandatory. Qualified Snowmobile Tec Vests are highly recommended. New motocross tech vests are acceptable.

2.3. Shin guards are recommended

2.4. XMR OFFICIALS WILL HAVE THE FINAL SAY WHEN IT COMES TO SAFTY OF DRIVERS AND RACE SNOWMOBILES



SNOWMOBILE RACING

Specialty Classes - JR, Women's, Masters, Senior, and Barn Find

1. Junior Mini

- Free entry
- Age limit 10 and under
- 200 cc max

2. Junior Mini Mod

- Any mini snowmobile up to 212 cc

3. Junior – Sport 340 JR Mini Racers May Race in JR Sport with Racer Director Approval

- 340 cc max
- Stock fan cooled, free air & liquid cooled sleds may enter this class
- Stock classic vintage & barn find snowmobiles qualify
- The use of studs in the center of the track and round ski carbides will be allowed

4. Junior - Expert

- 0-550 Stock Fan Cooled / Free Air & 0-400cc Stock liquid cooled sleds may enter into this class
- Stock classic, vintage & barn find snowmobiles qualify
- The use of studs in the center of the track and round bar carbides will be allowed
- Ask about other classes JR Expert may race in

5. Women's (Jr. Expert Ladies May Enter)

- 0-550 Stock & Super Stock Sleds may enter into this class
- Classics, vintage, super stock qualify. (No mod sleds)
- Studded and Non-Studded sleds will run in this class

6. Masters Age 50 and Older

- 0-550 Free air, Fan cooled, and liquid cooled sleds all run in this class. (Stock and Super Stock only – No mod sleds)
- Leaf spring & classics

7. Seniors Age 60 and Older

- 0-550 Free air, Fan cooled, and Liquid cooled sleds all run in this class. (Stock and Super Stock only – No mod sleds)
- Leaf spring & classics
- Drivers 50 and older can race in this class, providing they do not run in a Super Stock, Mod or Outlaw classes

8. Barn Find Vintage = leaf spring sleds

- 0-550
- No ice picks allowed, only round bar carbides, and trail studs allowed
- Vintage snowmobiles will race in this class
- NO Mod Class Sled

9. Barn Find Classics = independent front suspension sleds

- 0-600
- No ice picks, only round bar ski carbides, and trail studs allowed
- Classics and Vintage snowmobiles will race in this class
- NO Mod Class Sleds



SNOWMOBILE RACING

Stock Vintage Classes

10. Relic Trail (Vintage) – Jr. Expert Racer May Enter

- 1975 or older technology, non-Jackshaft trail snowmobiles
- Any year stock single Cylinder Vintage snowmobiles
- 440cc and below twin Cylinder Fan Vintage snowmobiles
- 340cc Free Air
- No factory race or limited build race sleds
- Updated Round slide carbs allowed
- Updated Primary clutch, (for safety)
- Leaf Spring sleds only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed
- Skis must be stock width
- JR expert racers will be allowed to race in this class with qualifying Relic Trail/single cylinder snowmobile

11. 0 – 340 Larry the Enticer Fan Cooled Stock Class (Vintage)

- Fan cooled only
- Leaf Spring sleds only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed
- Skis must be stock width
- JR expert racers will be allowed to race in this class with qualifying 0 – 340 Larry the Enticer Fan Cooled Stock sled

12. 0-340 Stock (Vintage) Jr. Expert Racer May Enter

- Stock Liquid cooled, Free Air and Fan Cooled Sleds can enter into this class
- Leaf Spring only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed



- Skis must be stock width
- JR expert racers will be allowed to race in this class with qualifying 340 snowmobile

13. 0-500 Fan Cooled Stock (Vintage)

- Fan cooled only
- Leaf Spring sleds only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed
- Skis must be stock width

14. 0-500 Free Air Stock (Vintage)

- All Free Air sleds run in this class. (Fan Cooled Sleds 0-500cc may enter into this class)
- Leaf Spring only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed
- Skis must be stock width

15. 0-500 Liquid Stock (Vintage)

- Liquid cooled sleds run in this class. (Stock Free Air and Fan Cooled Sleds can enter into this class)
- Leaf Spring only
- The use of studs in the center of the track and round ski carbides will be allowed
- Cleated tracks will be allowed to run if all the track cleats are in good working order. If you intend on running a cleated track you will need to have a "Race Tech" inspect the track cleats prior to registration of each race weekend
- No modification to cleats or ware bars
- No resleeving or larger displacement motor parts allowed
- Over boring to what stock cylinder sleeve will allow is allowed
- Track upgrades are allowed, maximum lug height is 0.75"
- No modification to engine, chassis, or handlebars, handlebars must be stock for sled model
- Removing of stock parts or replacing stock parts with lightweight parts to achieve weight reduction is not allowed
- Skis must be stock width



Super Stock Classes

16. 0-500 Fan Cooled Super Stock (Vintage)

- Fan cooled only
- Leaf spring chassis only
- Motor modifications (milling porting & boring) are allowed
- Maximum over bore allowable by stock sleeve
- NO use of larger displacement cylinders
- NO resleeving to oversized bore, NO stroker crank shafts
- The motor & pipe MUST appear 100% stock from the outside
- Must run OEM exhaust & ignition
- Any snowmobile brand OEM primary clutch allowed
- Any snowmobile brand OEM secondary clutch allowed. No roller secondary clutches allowed
- Stock metal Production skis, NO aftermarket race skis.
- Engine must match make, model and chassis of manufacture
- Track upgrades are allowed. Maximum lug height is 1.0"
- Engine casting numbers must be legible & not modified
- No mod/race style seat and gas tanks. Any OEM snowmobile seat and gas tank is allowed

17. 0-500 Free Air Super Stock (Vintage)

- All Free Air sleds run in this class (Fan Cooled Sleds 0-550cc can enter into this class)
- Leaf spring chassis only
- Motor modifications (milling porting & boring) are allowed
- Maximum over bore allowable by stock sleeve
- NO use of larger displacement cylinders
- NO resleeving to oversized bore, NO stroker crank shafts
- The motor & pipe MUST appear 100% stock from the outside
- Must run OEM exhaust & ignition
- Any snowmobile brand OEM primary clutch allowed
- Any snowmobile brand OEM secondary clutch allowed. No roller secondary clutches allowed
- Stock metal Production skis, NO aftermarket race skis
- Engine must match make, model and chassis of
- Track upgrades are allowed. Maximum lug height is 1.0"
- Engine casting numbers must be legible & not modified
- No mod/race style seat and gas tanks. Any OEM snowmobile seat and gas tank is allowed

18. 0-500 Liquid Super Stock (Vintage)

- Liquid cooled sleds all run in this class. (Free Airs and Fan Cooled Sleds can enter into this class)
- Leaf spring chassis only
- Motor modifications (milling porting & boring) are allowed
- Maximum over bore allowable by stock sleeve
- NO use of larger displacement cylinders
- NO resleeving to oversized bore, NO stroker crank shafts
- The motor & pipe MUST appear 100% stock from the outside
- Must run OEM exhaust & ignition
- Any snowmobile brand OEM primary clutch allowed
- Any snowmobile brand OEM secondary clutch allowed. No roller secondary clutches allowed
- Stock metal Production skis, NO aftermarket race skis
- Engine must match make, model and chassis
- Track upgrades are allowed. Maximum lug height is 1.0



SNOWMOBILE RACING

- Engine casting numbers must be legible & not modified
- No mod/race style seat and gas tanks. Any OEM snowmobile seat and gas tank is allowed

Mod Classes (Vintage)

19. 0-340 Mod (Vintage)

- Free air, Fan cooled, and liquid cooled sleds all run in this class
- The motor manufacture and the chassis manufacture do not need to match
- Any hood is allowed
- Any ignition is allowed
- Resleeving to max displacement of class is allowed
- You cannot resleeve a motor or stroke a motor past cc limit of class
- Engine casting numbers must be legible & not modified

20. 0-500 MOD (Vintage)

- Free air, Fan cooled and Liquid cooled sleds all run in this class
- The motor may be classics class qualifying motors. 500cc & below. Leaf springs only – No IFS chassis.
- The motor manufacture and the chassis manufacture do not need to match
- Any hood is allowed
- See classics class rules for engine options 0 – 500cc
- Engine casting numbers must be legible & not modified
- (Call for clarification) 303.888.9378

Classics Classes

Classics class sleds are designated as:

- Yamaha – any Yamaha snowmobile with carburetors
 - Ski-Doo – any Ski-Doo with trailing arms 0 - 700cc
 - Polaris – any Polaris with trailing arms. NO Pro X, NO edge sleds. 0 - 700cc
 - Arctic Cat – No lay down motor sleds, NO Firecat, NO F-Series, NO M-series. 0 - 700 cc
- **Call for clarification if needed** 303.888.9378

21. 0-550 Classics Stock– 550cc

- IFS, free air, Fan cooled and liquid cooled sleds all run in this class
- IFS and Leaf Spring may race in this class
- The use of studs in the center of the track and round ski carbides will be allowed
- No modification to ski carbides
- No resleeving or larger displacement motor parts allowed
- No modification to engine or chassis over bore to what stock sled sleeve will allow
- No removing of stock parts or replacing of stock parts with aftermarket lightweight parts for weight reduction
- Performance enhancing engine parts not allowed
- Any bolt on OEM parts are allowed

22. 0-600 Classics Stock– 600cc

- IFS, free air, Fan cooled and liquid cooled sleds all run in this class
- IFS and Leaf Spring may race in this class
- The use of studs in the center of the track and round ski carbides will be allowed
- No modification to ski carbides
- No resleeving or larger displacement motor parts allowed
- No modification to engine or chassis over bore to what stock sled sleeve will allow



SNOWMOBILE RACING

- No removing of stock parts or replacing of stock parts with aftermarket lightweight parts for weight reduction
- Performance enhancing engine parts not allowed
- Any bolt on OEM parts are allowed

23. 0-700 Classics Stock– 700cc – Up to 1000cc 4 Stroke

- IFS, free air, Fan cooled and liquid cooled sleds all run in this class
- IFS and Leaf Spring may race in this class
- The use of studs in the center of the track and round ski carbides will be allowed
- No modification to ski carbides
- No resleeving or larger displacement motor parts allowed
- No modification to engine or chassis over bore to what stock sled sleeve will allow
- No removing of stock parts or replacing of stock parts with aftermarket lightweight parts for weight reduction
- Performance enhancing engine parts not allowed
- Any bolt on OEM parts are allowed

24. 0-500 Fan Cooled Mod

- IFS and vintage fan cooled sleds will run in this class
- The motor manufacture and the chassis manufacture do not need to match
- Any hood is allowed
- Any ignition is allowed
- The use of liquid cooled or free air engine parts are not allowed
- Engine casting numbers must be legible & not modified
- No NOS, Turbo, Super Charger

25. 0 - 600cc MOD

- Classic and Vintage, free air, Fan cooled and liquid cooled sleds all run in this class
- The motor manufacture and the chassis manufacture do not need to match
- Any hood is allowed
- No NOS, Turbo, Super Charger

26. 0-700cc MOD Outlaw

- Classic and Vintage, free air, Fan cooled and liquid cooled sleds all run in this class
- The motor manufacture and the chassis manufacture do not need to match
- Let your creativity run wild
- No NOS, Turbo, Super Charger

27. End of Day – XMR Open

- 10 laps
- Any snowmobile
- \$35.00 entry
- Honorable mention
- 1st place = 50% of entry fees for this class
- 2nd place = 25% of entry fees for this class